

Portfolio Extension 09/2018  
SW C5155 Compact impact wrench

**swepro**  
inspire with efficiency



One Series. Outstanding performance.  
**swepro** swepro compact impact wrench series.

The SW C5155 Compact impact wrench  
Light.  
Powerful.  
Low vibration.

The SW C5155 as **powerful** addition to the compact impactwrench family

The SW C5155 closes the gap between the SW C5144 and the SW C5644.

The SW C5155 compact impact wrench stands out due to its high performance while only weighing 1.9 kg. Within 5 seconds the impact wrench reaches a working torque of 800 Nm. Its short design, low weight and low vibration make it ideally suitable to one-hand operations, even in tight working environments. The double hammer impact mechanism makes it especially durable and low maintenance, which further increases the efficiency of the impact wrench.





## Easy working with the swepro compact impactwrench series

The light, low-noise and low-vibration impactwrenches make daily work easier and are usable in many different applications.

Impact wrenches used in industrial applications do not necessarily have to be heavy, large and loud. The design of the compact impact wrenches makes them ideally suited to one-hand operations. Their compact, lightweight design means that they offer greater flexibility and can be used for longer periods.



Extension to the compact impact wrench family:  
SW C5155 compact impact wrench



One Series compared.




Type	SW C5144 Compact Impact Wrench 1/2"	SW C5155 Compact Impact Wrench 1/2"	SW C5644 Compact Impact Wrench 3/4"
Iten Number	785753	785765	785644
Torque	610 Nm	800 Nm	1340 Nm
Free speed	9.000 1/min	7.500 1/min	5.500 1/min
Vibration	5,8 m/ s <sup>2</sup>	9,1 m/s <sup>2</sup>	10,8 m/s <sup>2</sup>
Sound	90 dB (A)	90 dB (A)	96 dB (A)
Tap settings	2 forwards, 1 backwards	2 forwards, 1 backwards	2 forwards, 1 backwards
Air connection	1/4" BSPT	1/4" BSPT	3/8" BSPT
Air consumption	0,318 m <sup>3</sup> /min	0,161 m <sup>3</sup> /min	0,227 m <sup>3</sup> /min
Weight	1,1 kg	1,9 kg	2,8 kg
Dimensions	L = 118 mm	L = 156 mm	L = 177 mm

## Torque.


### Steep Torque Curve.

Impact wrenches need to deliver a high torque output in the shortest time possible. The compact impact wrench series reaches high working torques within only 5 seconds. See here the development of the torques compared to each other.

**Tightening (forwards - setting 2):  
Torque curves in comparison**



**Loosening:  
Torque curves in comparison**



One Series. Many advantages.



Long service life thanks to high-performance double hammer impact



Easily accessible lubrication nipple for easy maintenance



Trigger and direction switch - optimally positioned



Optimised centre of gravity thanks to the compact, lightweight design



Ergonomic soft-grip handle



## Applications.

### **Maintenance and assembly work in confined spaces.**

Thanks to its compact, lightweight design and one-hand operation, the compact impact wrenches are ideal for use in locations that are beyond the reach of a much larger impact wrench. The low vibration values also make it particularly suitable for use in confined spaces.

### **Easy tightening and loosening of bolted joints.**

Application examples:


- General servicing
- Vehicle manufacture
- Retooling machinery
- Dismantling and assembly work






Einfaches Festziehen & Lösen von Schraubverbindungen.  
Examples of industries.

**Mechanical engineering**



**Paper & packaging industry**



**Beverage industry**



**Pharmaceuticals**



**Automotive industry**



**Agricultural industry**



**Steel industry**



**Food industry**



**Recycling**



**Metal construction**



**Wood industry**



**Oil and gas industry**



**Nonwovens & textiles**



**Environmental technology**



**(Petro-)Chemical sector**





## Experience.

### Try it out.

You'll soon be convinced of the many advantages of swepro's new mini impact wrench once you try it out for yourself on your own premises!

### We deliver.


The new SW C155 is available from stock.

### Trial period.

You have 14 days to try out the mini impact wrench so you can be sure it is the right tool for your applications.

### Contact information.

+49 (0) 2131 - 75 22 100

 **Do you have any questions**

We look forward to hearing from you:

**+49 (0) 21 31 - 75 22 100**

Monday - Thursday 08:00-17:00

Friday 08.00 - 15.00

info@swepro.com

www.swepro.com

